

Supplementary file S8. Yield model C fittings

<p>Logarithmic model for maximum diameter $D_{max} = \text{Exp}(B0 + B1 * \text{Ln}(Hd) + B2 * \text{Ln}(N) + B3 * \text{Ln}(D))$</p>					<p>Max Diameter Model C Residuals</p>																								
<p>Estimation Statistics</p> <table border="1"> <thead> <tr> <th>N</th> <th>R²</th> <th>Bias</th> <th>RMSE</th> </tr> </thead> <tbody> <tr> <td>2634</td> <td>NA</td> <td>0.048242</td> <td>1.325735</td> </tr> </tbody> </table>						N	R ²	Bias	RMSE	2634	NA	0.048242	1.325735																
N	R ²	Bias	RMSE																										
2634	NA	0.048242	1.325735																										
<p>Parameter Estimates</p> <table border="1"> <thead> <tr> <th>Coefficient</th> <th>Estimate</th> <th>Std.Error</th> <th>t-value</th> <th>Pr(> t)</th> </tr> </thead> <tbody> <tr> <td>B0</td> <td>0.05253</td> <td>0.02891</td> <td>1.81695</td> <td>0.06934</td> </tr> <tr> <td>B1</td> <td>-0.01255</td> <td>0.01024</td> <td>-1.22533</td> <td>0.00000</td> </tr> <tr> <td>B2</td> <td>0.04009</td> <td>0.00310</td> <td>12.93460</td> <td>0.00000</td> </tr> <tr> <td>B3</td> <td>0.97489</td> <td>0.00958</td> <td>101.76653</td> <td>0.00000</td> </tr> </tbody> </table>					Coefficient	Estimate	Std.Error	t-value	Pr(> t)	B0	0.05253	0.02891	1.81695	0.06934	B1	-0.01255	0.01024	-1.22533	0.00000	B2	0.04009	0.00310	12.93460	0.00000	B3	0.97489	0.00958	101.76653	0.00000
Coefficient	Estimate	Std.Error	t-value	Pr(> t)																									
B0	0.05253	0.02891	1.81695	0.06934																									
B1	-0.01255	0.01024	-1.22533	0.00000																									
B2	0.04009	0.00310	12.93460	0.00000																									
B3	0.97489	0.00958	101.76653	0.00000																									
<p>Logarithmic model for stand volume $V = \text{Exp}(B0 + B1 * \text{Ln}(Hd) * B2 * \text{Ln}(N) + B3 * \text{Ln}(D))$</p>					<p>Stand Volume Model C Residuals</p>																								
<p>Estimation Statistics</p> <table border="1"> <thead> <tr> <th>N</th> <th>R²</th> <th>Bias</th> <th>RMSE</th> </tr> </thead> <tbody> <tr> <td>2634</td> <td>NA</td> <td>-0.153615</td> <td>4.150908</td> </tr> </tbody> </table>						N	R ²	Bias	RMSE	2634	NA	-0.153615	4.150908																
N	R ²	Bias	RMSE																										
2634	NA	-0.153615	4.150908																										
<p>Parameter Estimates</p> <table border="1"> <thead> <tr> <th>Coefficient</th> <th>Estimate</th> <th>Std.Error</th> <th>t-value</th> <th>Pr(> t)</th> </tr> </thead> <tbody> <tr> <td>B0</td> <td>-9.67784</td> <td>0.03053</td> <td>-317.0062</td> <td>0.00000</td> </tr> <tr> <td>B1</td> <td>0.94275</td> <td>0.01081</td> <td>87.1913</td> <td>0.00000</td> </tr> <tr> <td>B2</td> <td>1.01099</td> <td>0.00327</td> <td>308.8929</td> <td>0.00000</td> </tr> <tr> <td>B3</td> <td>1.84026</td> <td>0.01012</td> <td>181.9112</td> <td>0.00000</td> </tr> </tbody> </table>					Coefficient	Estimate	Std.Error	t-value	Pr(> t)	B0	-9.67784	0.03053	-317.0062	0.00000	B1	0.94275	0.01081	87.1913	0.00000	B2	1.01099	0.00327	308.8929	0.00000	B3	1.84026	0.01012	181.9112	0.00000
Coefficient	Estimate	Std.Error	t-value	Pr(> t)																									
B0	-9.67784	0.03053	-317.0062	0.00000																									
B1	0.94275	0.01081	87.1913	0.00000																									
B2	1.01099	0.00327	308.8929	0.00000																									
B3	1.84026	0.01012	181.9112	0.00000																									